

Job:
 Location:
 Schedule No.:
 System Designation:

Engineer:
 Architect:
 Location:
 Date:

For: Reference Approval Review Construction

One Way Cassette Indoor Unit

FEATURES

- Pre Heat Function
- Auto Addressing
- Auto Restart
- Integral Condensate Pump
- Electronic Expansion Valve
- Built-in Four Dry Contact Relays
- Flare Connections
- High-Efficiency DC Motor
- Refrigerant R-410A
- Six capacity sizes from 7,000 to 24,000 Btu/h

WARRANTY

- 10-year limited warranty.*See warranty for details.

SPECIFICATIONS

PERFORMANCE

Cooling Capacity ¹ (Btu/h)		7000
Heating Capacity ¹ (Btu/h)		8000
Airflow (CFM)	High	227
	Medium	181
	Low	143
External Static Pressure (in.w.g.)		0~0.04
Sound (dBA)	High	35.4
	Medium	32.0
	Low	29.4

ELECTRICAL DATA

Power Supply (Volts/Phase/Hertz)	208/230V-1Ph-60Hz
Minimum Circuit Ampacity (MCA)	0.29
Max. Overcurrent Protection (MOCP)	15
Cooling Power Input ² (W)	10
Cooling Rated Current (A)	0.4
Heating Power Input ² (W)	10
Heating Rated Current (A)	0.4
Indoor Fan Motor Input (W)	10(H:0PA)

DIMENSIONS

Unit Dimensions (in)	Height	6
	Width	41-1/2
	Depth	16-3/4
Diffuser Panel Dimensions (in)	Height	1
	Width	46-1/2
	Depth	18-3/8
Liquid Pipe Connection (in)		1/4
Gas Pipe Connection (in)		1/2
Drain Connection (in)		1
Net Weight (lb)		26.0
Shipping Weight (lb)		35.5



OPTIONAL ACCESSORIES


Non-Programmable Controller	V0STAT54P-3
Programmable Wired Controller	V0STAT51P-3
Infrared Wireless Controller	V0STAT52P-1
Occupancy Sensor	V0SNSR78P-3
HHE Relay Kit	V0CTRL92P-3
Hotel Keycard Interface	V0CTRL88P-1

NOTES

1. Cooling and Heating capacity data is rated at the following conditions:
 Cooling: 80°FDB / 67°FWB Indoor, 95°FDB
 Outdoor Heating: 70°FDB Indoor, 47°FDB / 43°FWB Outdoor.
2. Power Input values are rated at high fan speed.



DIMENSIONAL DRAWINGS - INCHES (MM)



NOTE - Due to Lennox' ongoing commitment to quality, Specifications, Ratings and Dimensions subject to change without notice and without incurring liability. Improper installation, adjustment, alteration, service or maintenance can cause property damage or personal injury. Installation and service must be performed by a qualified installer and servicing agency.